



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

PO Box 528, BLOEMFONTEIN, 9300, Bloem Plaza Building Cnr Maitland and East Burger Street,
BLOEMFONTEIN, 9300, www.dwa.gov.za

Enquiries: Mr T Phinithi
Email: phinithit@dws.gov.za
Ref. No: WU22346

Tel: 0514059000
Fax:
File No: 27/2/1

REGISTERED MAIL

TETRA4 (PTY) LTD
1 Bompas Road, Dunkeld West
Randburg
Johannesburg, Gauteng.
2196

Dear Mr. GM Muller

REGISTRATION OF WATER USE IN TERMS OF SECTION 39 OF THE NATIONAL WATER ACT, NO 36 OF 1998: FOR TETRA 4 9(PTY)LTD: PLANS TO EXTEND NATURAL GAS PRODUCTION WITHIN THE VIRGINIA GAS PRODUCTION ROGHT-MDR01 IN QUATERNARY CATCHMENT C42L, MIDDLE VAAL

Your request dated 26 November 2021 to be registered to use water in terms of General Authorisation no.(notice no509) dated 26 August 2016 from the gazette no40229 refers.

The Department is pleased to confirm that the intended water use falls within the ambit of the General Authorisation. Therefore, you may continue with the water uses as permissible in terms of Section 22 (1) (a) (iii) of the NWA. You are therefore requested to adhere to the conditions stipulated in the said General Authorisation.

Water use(s) registered:

Sub Sec	Description as per the Act	Existing Authorisation	Applied for	Licence Recommended or Not Recommended
c	Impeding or diverting the flow of water in a watercourse		X	Recommend
i	Altering the bed, banks, course or characteristics of a watercourse		X	Recommend

Table 1: Details of the registered water use(s)

Section 21 C and I:

Purpose	Volume / Capacity (m ³ , tonnes and/or m ³ /annum)	Properties Description	Co-ordinates
Section 21 (c)			
Plansto Extended natural gas production within Virginia	Impeding or Diverting of water in water course	Remainder of the Farm Mond van Doornrivier 38	28°08'20.06"E 26°42'59.53"S
Section 21(i)			
Plansto Extended natural gas production within Virginia	Altering the bed Course or Characteristic of water course	Remainder of the Farm Mond van Doornrivier 38	28°08'20.06"E 28°42'59.53"S

Attached herewith are the Registration Certificate and a copy of the General Authorisation for ease of reference.

You are required to comply with the conditions of the General Authorisation.

Yours sincerely

Recommend

Comments:



I, Mr Vernon Blair (Director: Institutional Establishment) herewith electronically sign this document.

Serial Number : 5612921240436274082

Dir IE/Equivalent to Dir IE in CMA

Date: Dec 15 2021 10:27AM